



# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 6-8-2009 Revision date: 4-8-2015 version: 8.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : Wasbenzine  
EC Index-No. : 649-328-00-1  
EC-No. : 920-750-0  
CAS-No. : 64742-49-0  
REACH registration No : 01-2119473851-33  
Product code : 76000  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

MPM International Oil Company  
Cyclotronweg 1  
2629 HN Delft - Nederland  
T +31 (0)15 2514030 - F +31 (0)15 2514031  
[info@mpmoil.nl](mailto:info@mpmoil.nl) - [www.mpmoil.nl](http://www.mpmoil.nl)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	: +353 1 8379964	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225  
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS07

GHS08

GHS09

CLP Signal word

: Danger

# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H225 - Highly flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H336 - May cause drowsiness or dizziness. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P241 - Use explosion-proof electrical, ventilating, lighting equipment. P260 - Do not breathe vapours, spray, mist. P280 - Wear protective gloves, protective clothing, face shield. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P501 - Dispose of contents/container to officially registered waste disposal company.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	: Wasbenzine
CAS-No.	: 64742-49-0
EC-No.	: 920-750-0
EC Index-No.	: 649-328-00-1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphtha (petroleum), hydrotreated light	(CAS-No.) 64742-49-0 (EC-No.) 265-151-9 (EC Index-No.) 649-328-00-1 (REACH-no) 01-2119475514-35	<= 100	Skin Irrit. 2, H315 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	: In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).
After inhalation	: In case of unconsciousness place in unconscious position and seek medical advice. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
After skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap.
After eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
After ingestion	: If swallowed, do not induce vomiting: seek medical advice immediately and show this container label.

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Vapours may cause drowsiness and dizziness.
After skin contact	: Skin corrosion/irritation:

### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Powder. Foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: May form flammable/explosive vapour-air mixture.
Explosion hazard	: Vapours may form explosive mixtures with air.

### 5.3. Advice for firefighters

Other information	: On combustion, forms: carbon oxides (CO and CO2).
-------------------	---

# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep away from sources of ignition - No smoking. Keep public away.

##### 6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing.

##### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and eye/face protection.

#### 6.2. Environmental precautions

Do not flush into surface water or sewer system. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica gel).

Other information : Ensure adequate ventilation.

#### 6.4. Reference to other sections

Information on disposal - see Section 13. Information on personal protective equipment - see Chapter 8. Information on safe handling - see Section 7.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Provide adequate ventilation. Avoid aerosol formation.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage area : Keep container tightly closed and dry. Ensure adequate ventilation of the storage area. Keep in a cool place.

Special rules on packaging : Keep container tightly closed.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

##### Technical measures:

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured.

##### Personal protective equipment:

Safety glasses. Gloves.

##### Materials for protective clothing:

Suitable material: nitrile rubber. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

##### Hand protection:

Wear suitable gloves. In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

##### Eye protection:

Tightly sealed safety glasses.

##### Skin and body protection:

Wear suitable protective clothing, gloves and eye/face protection.

##### Respiratory protection:

If technical suction or ventilation measures are not possible or are insufficient, protective breathing apparatus must be worn.

##### Personal protective equipment symbol(s):



# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: clear.
Odour	: characteristic.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 90 - 165 °C
Flash point	: 1 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 740 g/l
Solubility	: Water: insoluble
Log Pow	: No data available
Viscosity, kinematic	: 0,76 mm <sup>2</sup> /s
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive. Explosive dust-air mixtures may form.
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content	: 100 %
-------------	---------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

None under normal use.

#### 10.2. Chemical stability

The product is stable at normal handling- and storage conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

Oxidizing substances.

#### 10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Naphtha (petroleum), hydrotreated light (64742-49-0)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified

# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Not classified
Aspiration hazard	: May be fatal if swallowed and enters airways.

### Wasbenzine (64742-49-0)

Viscosity, kinematic	0,76 mm <sup>2</sup> /s
----------------------	-------------------------

## SECTION 12: Ecological information

### 12.1. Toxicity

General	: Do not allow uncontrolled leakage of product into the environment.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Toxic to aquatic life with long lasting effects.

### Wasbenzine (64742-49-0)

LC50 fish 1	Toxic to fish
-------------	---------------

### Naphtha (petroleum), hydrotreated light (64742-49-0)

EC50 Daphnia 1	1 - 10 mg/l
----------------	-------------

### 12.2. Persistence and degradability

#### Naphtha (petroleum), hydrotreated light (64742-49-0)

Persistence and degradability	Product is biodegradable.
-------------------------------	---------------------------

### 12.3. Bioaccumulative potential

#### Naphtha (petroleum), hydrotreated light (64742-49-0)

Bioaccumulative potential	Expected to bio accumulate.
---------------------------	-----------------------------

### 12.4. Mobility in soil

#### Wasbenzine (64742-49-0)

Soil	Prevent soil and water pollution.
------	-----------------------------------

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information	: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.. Do not allow material to contaminate ground water system. Do not empty into drains or the aquatic environment.. Danger of drinking-water pollution (ground water)
------------------------	--

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Regional legislation (waste)	: Waste disposal according to official state regulations.
Waste materials	: Do not empty into drains; dispose of this material and its container in a safe way.
European List of Waste (LoW) code	: 07 01 04* - other organic solvents, washing liquids and mother liquors

## SECTION 14: Transport information

In accordance with ADR

### ADR

#### 14.1. UN number

UN 3295

#### 14.2. UN proper shipping name

HYDROCARBONS, LIQUID, N.O.S.

#### Transport document description

UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, II, (D/E), ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

3

# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### 14.4. Packing group

II

### 14.5. Environmental hazards

Dangerous for the environment : Yes

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1  
Limited quantities (ADR) : 1I  
Transport category (ADR) : 2  
Hazard identification number (Kemler No.) : 33  
Orange plates :



Tunnel restriction code (ADR) : D/E  
EAC code : 3YE

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Wasbenzine is not on the REACH Candidate List

Wasbenzine is not on the REACH Annex XIV List

Wasbenzine is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Wasbenzine is not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

VOC content : 100 %

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

### Full text of H- and EUH-statements:

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.

# Wasbenzine

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H340	May cause genetic defects.
H350	May cause cancer.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

### SDS MPM REACH

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*