

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 16-6-2011 Revision date: 17-8-2021 Supersedes: 16-8-2021 version: 4.8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Trade name : MPM Transmission Drive Train Oil 10W

UFI : ARGV-MGGP-TH31-TWCA

Product code : 38000TA

Type of product : Other engine, gear and lubricating oils.

Product group : Blend

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

Industrial/Professional use spec : Used in closed systems

Non-dispersive use

Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company Cyclotronweg 1 2629 HN Delft - Nederland T +31 (0)15 2514030

pvhoorn@mpmoil.com - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word : Warning

Hazard statements (CLP) : H319 - Causes serious eye irritation.

Precautionary statements (CLP) : P280 - Wear protective clothing, Protective gloves.

P264 - Wash hands thoroughly after handling.

P305+P351+P338 - IF EYE CONTACT: Remove contact lenses. Rinse with water for

several minutes.

Extra phrases : Repeated or prolonged contact may cause skin irritation.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Highly refined mineral oil, contains <3% (w/w) DMSO extract, according to IP346

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates(petroleum), hydrotreated heavy paraffinic	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25	≥ 75 - ≤ 90	Asp. Tox. 1, H304
Distillates (petroleum), hydrotreated light paraffinic, Baseoil	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077- 29	≥ 10 – ≤ 25	Asp. Tox. 1, H304
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased	CAS-No.: 68784-26-9 EC-No.: 272-234-3 REACH-no: 01-2119524004- 56	≤ 3	Aquatic Chronic 4, H413
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	< 2,5	Eye Dam. 1, H318 Aquatic Chronic 2, H411 (M=0)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits		
Name	Product identifier	Specific concentration limits
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate)	CAS-No.: 4259-15-8 EC-No.: 224-235-5 REACH-no: 01-2119493635- 27	(50 <c 1,="" 100)="" dam.="" eye="" h318<="" td="" ≤=""></c>

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General : First aider: Pay attention to self-protection!.

Take victim to fresh air, in a quiet place and if necessary take medical advice. After inhalation

After skin contact : Wash skin with mild soap and water.

: In case of eye contact, immediately rinse with clean water for 10-15 minutes. After eye contact After ingestion : Do NOT induce vomiting. Rinse mouth out with water. Get immediate medical

advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation : Not expected to present a significant inhalation hazard under anticipated conditions of

normal use.

After skin contact Causes skin irritation. Repeated exposure may cause skin dryness or cracking.

After eye contact : Exposed may experience eye tearing, redness and discomfort.

After ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

normal use

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. (If swallowed, seek medical advice immediately and show this container or label).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam and CO2. Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other

toxic gases.

5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Firefighting instructions : Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : If spilled, may cause the floor to be slippery.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Safety glasses. **Emergency procedures** : Do not breathe vapours.

17-8-2021 (Revision date) EN (English) 3/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves. Safety glasses.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.

Other information : Spill area may be slippery. Use suitable disposal containers.

6.4. Reference to other sections

No additional information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are

usually required.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Handling temperature : < 40 °C

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Store in a closed container.

Storage conditions : Keep container closed when not in use.

Storage temperature : ≤ 40 °C

Storage area : Store in dry, well-ventilated area.

7.3. Specific end use(s)

No additional information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available.

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is

recommended.

8.1.5. Control banding

No additional information available.

17-8-2021 (Revision date) EN (English) 4/10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Technical measures:

No additional information available.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Safety glasses.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Safety goggles

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available.

8.2.3. Environmental exposure controls

No additional information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Colour Amber. Appearance Oily liquid. Odour : Characteristic. Odour threshold : Not available Melting point : < -30 °C Freezing point : Not available : > 300 °C Boiling point Flammability : Not available **Explosive limits** : 1 – 6 vol % Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : > 190 °C @ ASTM D92

Auto-ignition temperature : $> 300 \, ^{\circ}\text{C}$ Decomposition temperature : $> 300 \, ^{\circ}\text{C}$

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH : 7-8

Viscosity, kinematic : 37 mm²/s @ 40°C

Solubility : Slightly soluble, the product remains on the water surface.

: Not applicable

: Not applicable

Log Kow Not available < 0,01 kPa @ 20°C Vapour pressure Vapour pressure at 50°C Not available Density 875 kg/m³ @ 15°C Relative density Not available Relative vapour density at 20°C : Not available Particle size : Not applicable : Not applicable Particle size distribution Particle shape : Not applicable : Not applicable Particle aspect ratio Particle aggregation state : Not applicable Particle agglomeration state : Not applicable

9.2. Other information

Particle dustiness

Particle specific surface area

9.2.1. Information with regard to physical hazard classes

No additional information available.

9.2.2. Other safety characteristics

No additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No naked flames, sparks, and do not smoke.

10.5. Incompatible materials

Strong oxidizing agent. Acids and bases.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 – 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)		47	
LC50 Inhalation - Rat (Dust/Mist) ATE CLP (dust,mist) 5,53 mg/l/4h Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) LD50 oral rat LD50 dermal rabbit > 4000 mg/kg bodyweight OECD 401 LD50 dermal rabbit > 4000 mg/kg bodyweight OECD 402 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) LD50 oral rat LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg LD50 dermal rabbit > 5000 mg/kg ATE CLP (oral) 3100 mg/kg bodyweight Skin corrosion/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting pHt. 7 - 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pHt. 7 - 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) MPM Transmission Drive Train Oil 10W	Distillates (petroleum), hydrotreated light para	affinic, Baseoil (64742-55-8)	
ATE CLP (dust,mist) Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) LD50 oral rat D500 mg/kg bodyweight OECD 401 LD50 dermal rabbit > 5000 mg/kg bodyweight OECD 402 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) LD50 oral rat D500 mg/kg ATE CLP (oral) 3100 mg/kg 3100 mg/kg 3100 mg/kg ATE CLP (oral) 3100 mg/kg bodyweight Skin corrosion/irritation Repeated or prolonged skin contact may cause dermatitis and defatting ph: 7 - 8 Serious eye damage/irritation Respiratory or skin sensitisation Respiratory or skin sensitisation oriteria are not met.) ph: 7 - 8 Not classified Phenol, dodecyt-, suffurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) Ropitation hazard Respiratory or darks of the carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) Ropitation hazard Respiratory or darks or darks or darks or darks or darks	LC50 Inhalation - Rat	> 5 mg/l/4h OECD 403	
Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) LD50 oral rat > 5000 mg/kg bodyweight OECD 402 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) LD50 oral rat 3100 mg/kg 3100 m	LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h	
LD50 oral rat	ATE CLP (dust,mist)	5,53 mg/l/4h	
LD50 dermal rabbit	Phenol, dodecyl-, sulfurized, carbonates, calc	ium salts, overbased (68784-26-9)	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) LD50 oral rat 3100 mg/kg LD50 dermal rabbit > 5000 mg/kg ATE CLP (oral) 3100 mg/kg bodyweight Skin corrosion/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting ph: 7 - 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) ph: 7 - 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) 2250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified	LD50 oral rat	> 5000 mg/kg bodyweight OECD 401	
LD50 oral rat LD50 dermal rabbit ATE CLP (oral) Sin corrosion/irritation Repeated or prolonged skin contact may cause dermatitis and defatting pH: 7 - 8 Serious eye damage/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting pH: 7 - 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 - 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) 220 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified MPM Transmission Drive Train Oil 10W	LD50 dermal rabbit	> 4000 mg/kg bodyweight OECD 402	
LD50 dermal rabbit > 5000 mg/kg bodyweight ATE CLP (oral) 3100 mg/kg bodyweight Skin corrosion/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting pH: 7 - 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.)	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophos	phate) (4259-15-8)	
ATE CLP (oral) Skin corrosion/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting pH: 7 – 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 – 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) 2250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 25 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified	LD50 oral rat	3100 mg/kg	
Skin corrosion/irritation : Repeated or prolonged skin contact may cause dermatitis and defatting pH: 7 – 8 Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 – 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified	LD50 dermal rabbit	> 5000 mg/kg	
Serious eye damage/irritation DH: 7 – 8 Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 – 8 Respiratory or skin sensitisation Germ cell mutagenicity I Not classified Carcinogenicity Reproductive toxicity STOT-single exposure Not classified STOT-repeated exposure Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard MPM Transmission Drive Train Oil 10W	ATE CLP (oral)	3100 mg/kg bodyweight	
Serious eye damage/irritation : Causes serious eye irritation. (Based on available data, the classification criteria are not met.) pH: 7 – 8 Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) : 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) : 250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) : Not classified MPM Transmission Drive Train Oil 10W		·	
Respiratory or skin sensitisation Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) NOAEL (dermal, rat/rabbit, 90 days) Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified	Serious eye damage/irritation :	Causes serious eye irritation. (Based on available data, the classification criteria are not met.)	
STOT-repeated exposure : Not classified Phenol, dodecyl-, sulfurized, carbonates, calcium salts, overbased (68784-26-9) NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 NOAEL (dermal, rat/rabbit, 90 days) ≈ 250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified MPM Transmission Drive Train Oil 10W	Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : Reproductive toxicity :	Not classified Not classified Not classified Not classified Not classified	
NOAEL (oral, rat, 90 days) 200 mg/kg bodyweight OECD 422 **250 mg/kg bodyweight OECD 410 **Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) **NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) **Aspiration hazard:**Not classified** **MPM Transmission Drive Train Oil 10W**			
NOAEL (dermal, rat/rabbit, 90 days) ≥ 250 mg/kg bodyweight OECD 410 Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified MPM Transmission Drive Train Oil 10W	Phenol, dodecyl-, sulfurized, carbonates, calc	ium salts, overbased (68784-26-9)	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8) NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard : Not classified MPM Transmission Drive Train Oil 10W	NOAEL (oral, rat, 90 days)	200 mg/kg bodyweight OECD 422	
NOAEL (oral, rat, 90 days) 125 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) Aspiration hazard: Not classified MPM Transmission Drive Train Oil 10W	NOAEL (dermal, rat/rabbit, 90 days)	≈ 250 mg/kg bodyweight OECD 410	
Day Oral Toxicity in Rodents) Aspiration hazard : Not classified MPM Transmission Drive Train Oil 10W	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
MPM Transmission Drive Train Oil 10W	NOAEL (oral, rat, 90 days)		
	Aspiration hazard :	Not classified	
Viscosity, kinematic 37 mm²/s @ 40°C	MPM Transmission Drive Train Oil 10W		
	Viscosity, kinematic	37 mm²/s @ 40°C	

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

11.2.2. Other information

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

(3.11.51.11.5)			
Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)			
EC50 Daphnia 1	> 10000 mg/l OECD 202		
EC50 other aquatic organisms 1	> 100 mg/l OECD 201		
ErC50 (algae)	> 100 mg/l 48h		
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dith	Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)		
LC50 fish 1	4,4 mg/l Oncorhynchus mykiss OECD 203		
LC50 fish 2 ≥ 0 mg/l			
EC50 Daphnia 1 75 mg/l Daphnia Magna OECD 201			
EC50 96h - Algae [1] 240 mg/l Scenedesmus Subspicatus OECD 201 @21d			
NOEC (chronic)	0,4 mg/l Daphna Magna OECD 211 @21 D- results analog product		
NOEC (acute)	NOEC Acute 220 mg/l Scededesmus Subspicatus OECD 201-biomass		

12.2. Persistence and degradability

MPM Transmission Drive Train Oil 10W	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

12.3. Bioaccumulative potential

Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)	
Bioaccumulative potential No data available.	
Zinc bis[O,O-bis(2-ethylhexyl)] bis(dithiophosphate) (4259-15-8)	
Log Kow 3,59	

12.4. Mobility in soil

MPM Transmission Drive Train Oil 10W	
Soil	Prevent soil and water pollution.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The product does not contain any substances with endocrine disrupting properties.

12.7. Other adverse effects

No additional information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Additional information

: This material and its container must be disposed of in a safe way, and as per local legislation.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG

14.1. UN number or ID number

UN-No. (IMDG) : Not applicable : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable Proper Shipping Name (IMDG) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable Packing group (IMDG) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

No data available.

Transport by sea

No data available.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

Contains no substance(s) listed on the REACH Candidate List

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

15.1.2. National regulations

No additional information available.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 16: Other information

Indication of changes	Indication of changes			
Section	Changed item	Change	Comments	
	Skin corrosion/irritation - comment	Added		
	Revision date	Modified		
	Supersedes	Modified		
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified		
2.2	Precautionary statements (CLP)	Modified		
3	Composition/information on ingredients	Modified		
4.1	General	Added		
4.1	After inhalation	Modified		
4.2	After skin contact	Modified		
4.2	After eye contact	Modified		
4.3	Treatment	Added		
5.2	Hazardous decomposition products in case of fire	Added		
9.1	pH	Added		
9.1	Vapour pressure	Added		
9.1	Melting point	Added		
9.1	Decomposition temperature	Added		
9.1	Boiling point	Added		
9.1	Auto-ignition temperature	Added		
9.1	Viscosity, kinematic	Modified		
9.1	Flash point	Modified		
9.1	Density	Modified		

Full text of H- and EUI	Full text of H- and EUH-statements	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
Aquatic Chronic 4	Hazardous to the aquatic environment – Chronic Hazard, Category 4	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H304	May be fatal if swallowed and enters airways.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H411	Toxic to aquatic life with long lasting effects.	
H413	May cause long lasting harmful effects to aquatic life.	

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.