



Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Issue date: 5-4-2011 Revision date: 4-7-2016 Supersedes: 14-7-2011 version: 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Thinner
Product code : 77000
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft Delft - Nederland
T +31 (0)15 2514030 - F +31 (0)15 2514031
msds@mpmoil.nl - www.mpmoil.nl

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

| Country | Official advisory body | Address | Emergency number | Comment |
|----------------|--|---|------------------|---------|
| Ireland | National Poisons Information Centre Beaumont Hospital | Beaumont Hospital Beaumont Road 9 Dublin | : +353 1 8379964 | |
| United Kingdom | Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust | Avonley Road SE14 5ER London | +44 20 7188 7188 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2 H225
Acute toxicity (inhal.), Category 4 H332
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Specific target organ toxicity — Single exposure, Category 3, Narcosis H336
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H335
Specific target organ toxicity — Repeated exposure, Category 2 H373
Aspiration hazard, Category 1 H304
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS02

GHS05

GHS07

GHS08

CLP Signal word : Danger.

Hazardous ingredients : xylene; acetone, propan-2-one, propanone.; n-butyl acetate; ethylbenzene; butan-1-ol; n-butanol

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)

: H225 - Highly flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H332 - Harmful if inhaled.
H335 - May cause respiratory irritation.
H336 - May cause drowsiness or dizziness.
H373 - May cause damage to organs (liver, kidneys) through prolonged or repeated exposure (inhalation).

Precautionary statements (CLP)

: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260 - Do not breathe vapours, spray, mist.
P243 - Take precautionary measures against static discharge.
P280 - Wear protective gloves, protective clothing, face shield, eye protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------------|---|----------|---|
| xylene | (CAS-No.) 1330-20-7 (EC-No.) 215-535-7 (EC Index-No.) 601-022-00-9 | 25 – 50 | Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 STOT RE 2, H373 Asp. Tox. 1, H304 |
| acetone, propan-2-one, propanone. | (CAS-No.) 67-64-1 (EC-No.) 200-662-2 (EC Index-No.) 606-001-00-8 (REACH-no) 01-2119471330-49 | 25 – 50 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 |
| n-butyl acetate | (CAS-No.) 123-86-4 (EC-No.) 204-658-1 (EC Index-No.) 607-025-00-1 | 10 – 25 | Flam. Liq. 3, H226 STOT SE 3, H336 |
| ethylbenzene | (CAS-No.) 100-41-4 (EC-No.) 202-849-4 (EC Index-No.) 601-023-00-4 | 2,5 – 10 | Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation:dust,mist), H332 STOT RE 2, H373 Asp. Tox. 1, H304 |
| butan-1-ol; n-butanol | (CAS-No.) 71-36-3 (EC-No.) 200-751-6 (EC Index-No.) 603-004-00-6 | 2,5 – 10 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 STOT SE 3, H336 |
| toluene | (CAS-No.) 108-88-3 (EC-No.) 203-625-9 (EC Index-No.) 601-021-00-3 | ≤ 0,2 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 Repr. 2, H361d STOT SE 3, H336 STOT RE 2, H373 Asp. Tox. 1, H304 |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General

: Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--------------------|--|
| After inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of irregular breathing or respiratory arrest provide artificial respiration. In all cases of doubt, or when symptoms persist, seek medical attention. |
| After skin contact | : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water and soap. |
| After eye contact | : In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. If irritation persists, consult a specialist. |
| After ingestion | : Get immediate medical advice/attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|--------------------|---|
| After inhalation | : Vapours may cause drowsiness and dizziness. |
| After skin contact | : Irritation and etching. |
| After eye contact | : Eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : powder, alcohol-resistant foam, water spray, carbon dioxide. water spray, powder, foam and CO ₂ . |
| Unsuitable extinguishing media | : Do not use a heavy water stream. |

5.2. Special hazards arising from the substance or mixture

| | |
|------------------|--|
| Fire hazard | : May form flammable/explosive vapour-air mixture. |
| Explosion hazard | : Vapours may form explosive mixtures with air. |

5.3. Advice for firefighters

| | |
|--------------------------------|---|
| Protection during firefighting | : Use appropriate respiratory protection. |
|--------------------------------|---|

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Plug the leak, cut off the supply. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Keep public away. |
|------------------|--|

6.1.1. For non-emergency personnel

| | |
|----------------------|--|
| Protective equipment | : Wear suitable protective clothing and eye/face protection. |
|----------------------|--|

6.1.2. For emergency responders

| | |
|----------------------|---|
| Protective equipment | : Wear suitable protective clothing and eye/face protection. Wear respiratory protection. |
|----------------------|---|

6.2. Environmental precautions

Do not flush into surface water or sewer system. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

| | |
|-------------------------|---|
| Methods for cleaning up | : Clean up with absorbent material (for example sand, sawdust, neutral absorbent granule, silica gel). This material and its container must be disposed of in a safe way, and as per local legislation. |
| Other information | : Ensure adequate ventilation. |

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

| | |
|-------------------------------|--|
| Precautions for safe handling | : Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Provide adequate ventilation. |
| Hygiene measures | : When using do not eat, drink or smoke. Wash hands before breaks and at the end of work. |

7.2. Conditions for safe storage, including any incompatibilities

| | |
|--------------------|--|
| Technical measures | : Store in a well-ventilated place. Keep container tightly closed. |
| Storage conditions | : Store in original container. |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| xylene (1330-20-7) | | |
|--------------------|--------------------------------|-----------------------|
| EU | IOELV TWA (mg/m ³) | 210 mg/m ³ |
| EU | IOELV TWA (ppm) | 50 ppm |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

xylene (1330-20-7)

| | | |
|---------|---|-----------------------|
| EU | IOELV STEL (mg/m ³) | 442 mg/m ³ |
| EU | IOELV STEL (ppm) | 100 ppm |
| Germany | TRGS 910 Acceptable concentration notes | |

acetone, propan-2-one, propanone. (67-64-1)

| | | |
|---------|---|------------------------|
| EU | IOELV TWA (mg/m ³) | 1210 mg/m ³ |
| EU | IOELV TWA (ppm) | 502 ppm |
| EU | IOELV STEL (mg/m ³) | 2420 mg/m ³ |
| EU | IOELV STEL (ppm) | 1004 ppm |
| Germany | TRGS 910 Acceptable concentration notes | |

8.2. Exposure controls

Technical measures:

If suction of the immediate vicinity is impossible or insufficient, adequate airing of the working place must be ensured. Wear respiratory protection when in the presence of vapour, dust, and aerosols.

Personal protective equipment:

Gloves. Safety glasses. Insufficient ventilation: wear respiratory protection. High vapour/gas concentration: self-contained respirator.

Materials for protective clothing:

Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer

Hand protection:

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
|---------------------------------------|-----------|-------------------|----------------|-------------|------------|
| Reusable gloves, Disposable gloves | Viton® II | 6 (> 480 minutes) | > 0.7 mm | | EN ISO 374 |

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing. Impermeable clothing

Respiratory protection:

| Device | Filter type | Condition | Standard |
|--|---|---------------------|----------|
| Reusable half mask | Type AX - Low-boiling (<65 °C) organic compounds | Short term exposure | |
| Self-contained breathing apparatus (SCBA) | | Long term exposure | |

Personal protective equipment symbol(s):



Other information:

The usual precautions for handling chemicals should be observed. Do not eat, drink or smoke when using this product. Wash hands before break and at end of works.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|---------------------|
| Physical state | : Liquid |
| Colour | : clear. |
| Odour | : characteristic. |
| Odour threshold | : No data available |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|--|---|
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : 56 °C |
| Flash point | : 8 °C |
| Auto-ignition temperature | : 340 °C |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : 233 hPa 20°C |
| Relative vapour density at 20 °C | : No data available |
| Relative density | : No data available |
| Density | : 850 g/l |
| Solubility | : Water: Low Organic solvent: 100% |
| Log Pow | : No data available |
| Viscosity, kinematic | : 1,176 mm ² /s |
| Viscosity, dynamic | : 1 mPa·s |
| Explosive properties | : Product is not explosive. Explosive dust-air mixtures may form. |
| Oxidising properties | : No data available |
| Explosive limits | : 1 – 13 vol % |

9.2. Other information

VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep cool. Protect from sunlight.

10.5. Incompatible materials

Oxidizing substances.

10.6. Hazardous decomposition products

On burning: release of harmful/irritant gases/vapours e.g.: carbon monoxide - carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|--|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Harmful if inhaled. (Based on available data, the classification criteria are not met) |

| Thinner | |
|---------------------|--------------|
| LD50 oral rat | 4300 mg/kg |
| LD50 dermal rabbit | 2000 mg/kg |
| ATE CLP (gases) | 4500 ppmv/4h |
| ATE CLP (vapours) | 11 mg/l/4h |
| ATE CLP (dust,mist) | 1,5 mg/l/4h |

xylene (1330-20-7)

| | |
|-----------------------------|--------------|
| LD50 oral rat | 4300 mg/kg |
| LD50 dermal rabbit | 2000 mg/kg |
| LC50 Inhalation - Rat [ppm] | 21,7 mg/l/4h |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

acetone, propan-2-one, propanone. (67-64-1)

| | |
|---------------------------------|--|
| LD50 oral rat | 5800 mg/kg |
| LD50 dermal rabbit | 7400 mg/kg |
| LC50 Inhalation - Rat | 76 mg/l air Animal: rat, Animal sex: female, 95% CL: 65,2 - 88,4 |
| LC50 Inhalation - Rat (Vapours) | 76 mg/l/4h |

n-butyl acetate (123-86-4)

| | |
|-----------------------------------|---------------------------------|
| LD50 oral rat | 10760 mg/kg (OECD 423 method) |
| LD50 dermal rabbit | > 14112 mg/kg (OECD 402 method) |
| LC50 Inhalation - Rat (Dust/Mist) | 23,4 mg/l/4h (OECD 403 method) |

butan-1-ol; n-butanol (71-36-3)

| | |
|---------------------------------|------------------------------|
| LD50 oral rat | 2292 mg/kg (OECD 401 method) |
| LD50 dermal rat | 3430 mg/kg (OECD 402 method) |
| LC50 Inhalation - Rat (Vapours) | > 17,76 mg/l/4h |

toluene (108-88-3)

| | |
|---------------------------------|--------------|
| LD50 oral rat | 5580 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LC50 Inhalation - Rat (Vapours) | 28,1 mg/l/4h |

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Reproductive toxicity | : Not classified (Based on available data, the classification criteria are not met) |

acetone, propan-2-one, propanone. (67-64-1)

| | |
|-----------------------------|---|
| LOAEL (animal/female, F0/P) | 11298 mg/kg bodyweight Animal: mouse, Animal sex: female |
| NOAEL (animal/male, F0/P) | 900 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Generation not specified (migrated information) |

| | |
|------------------------|--|
| STOT-single exposure | : May cause drowsiness or dizziness. May cause respiratory irritation. |
| STOT-repeated exposure | : May cause damage to organs (liver, kidneys) through prolonged or repeated exposure (inhalation). |

xylene (1330-20-7)

| | |
|----------------------------|---|
| LOAEL (oral, rat, 90 days) | 150 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents), Guideline: EPA OPP 82-1 (90-Day Oral Toxicity) |
|----------------------------|---|

| | |
|-------------------|---|
| Aspiration hazard | : May be fatal if swallowed and enters airways. |
|-------------------|---|

Thinner

| | |
|----------------------|--------------------------|
| Viscosity, kinematic | 1,176 mm ² /s |
|----------------------|--------------------------|

SECTION 12: Ecological information

12.1. Toxicity

| | |
|---|------------------|
| Hazardous to the aquatic environment, short-term (acute) | : Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : Not classified |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

xylene (1330-20-7)

| | |
|------------------------------|--|
| LC50 fish 1 | 2,6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 Daphnia 1 | 165 mg/l |
| EC50 72h algae (1) | 2,2 mg/l |
| EC50 96h algae (1) | 2,6 mg/l |
| ErC50 (other aquatic plants) | /48h 165 mg/l (daphnia) |
| NOEC chronic fish | > 1,3 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '56 d' |

acetone, propan-2-one, propanone. (67-64-1)

| | |
|----------------|--|
| EC50 Daphnia 1 | 8800 mg/l 48h |
| LOEC (chronic) | > 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | ≥ 79 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available


SECTION 13: Disposal considerations

13.1. Waste treatment methods

| | |
|-----------------------------------|--|
| Regional legislation (waste) | : Waste disposal according to official state regulations. |
| Waste materials | : Waste disposal according to official state regulations. |
| European List of Waste (LoW) code | : 07 01 04* - other organic solvents, washing liquids and mother liquors |

SECTION 14: Transport information

In accordance with ADR

| ADR | |
|---|--|
| 14.1. UN number | UN 1263 |
| 14.2. UN proper shipping name | PAINT RELATED MATERIAL |
| Transport document description | UN 1263 PAINT RELATED MATERIAL, 3, II, (D/E) |
| 14.3. Transport hazard class(es) | 3  |
| 14.4. Packing group | II |
| 14.5. Environmental hazards | Dangerous for the environment : No |
| No supplementary information available | |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Limited quantities (ADR) : 5I
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 33
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •3YE

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content : 100 %

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists. TWA: Time Weighted Average. TLV: Threshold Limit Value. ASTM: American Society for Testing and Materials . ADR: Accord Européen Relatif au Transport International des Marchandises Dangereuses par Route . RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail . ADN: Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin. IMDG: International Maritime Dangerous Goods. ICAO: International Civil Aviation Organization . IATA: International Air Transport Association. STEL: Short Term Exposure Limit. LD50: median Lethal Dose for 50% of subjects. ATE: acute toxicity estimate. LC50: median Lethal Concentration for 50% of subjects. EC50: concentration producing 50% effect.

Full text of H- and EUH-statements:

| | |
|-------------------------------------|--|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal), Category 4 |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Inhalation:dust,mist) | Acute toxicity (inhalation:dust,mist) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Repr. 2 | Reproductive toxicity, Category 2 |

Thinner

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| | |
|---------------|--|
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT RE 2 | Specific target organ toxicity — Repeated exposure, Category 2 |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Narcosis |
| STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation |
| H225 | Highly flammable liquid and vapour. |
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H312 | Harmful in contact with skin. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H332 | Harmful if inhaled. |
| H335 | May cause respiratory irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361d | Suspected of damaging the unborn child. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.