



# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878  
Issue date: 22-2-2019 Revision date: 22-3-2024 Supersedes: 11-9-2023 version: 11.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : MPM Octane Booster  
UFI : 555U-YS90-Q105-RU4D  
Product code : AD02000  
Type of product : Additives  
Product group : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use, Industrial use  
Industrial/Professional use spec : Non-dispersive use  
Used in closed systems  
Use of the substance/mixture : Additives for gasoline fuel.  
Function or use category : Fuel additives

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

##### Manufacturer

MPM International Oil Company BV  
Cyclotronweg 1  
2629 HN Delft - Nederland  
T +31 (0)15 2514030  
[info@mpmoil.com](mailto:info@mpmoil.com) - [www.mpmoil.com](http://www.mpmoil.com)

#### 1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (inhal.), Category 4 H332  
Specific target organ toxicity – Repeated exposure, Category 2 H373  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



CLP Signal word

Hazard statements (CLP)

Precautionary statements (CLP)

: Danger.  
: H304 - May be fatal if swallowed and enters airways.  
H332 - Harmful if inhaled.  
H373 - May cause damage to organs through prolonged or repeated exposure.  
H412 - Harmful to aquatic life with long lasting effects.  
: P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P273 - Avoid release to the environment.  
P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.  
P312 - Call a POISON CENTRE or doctor if you feel unwell.  
P314 - Get medical advice/attention if you feel unwell.  
P501 - Dispose of Contents and container to an approved waste disposal plant.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances  $\geq 0.1\%$  assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics	CAS-No.: 246538-78-3 EC-No.: 920-901-0	$\geq 80 - \leq 95$	Asp. Tox. 1, H304
2-Ethylhexanol	CAS-No.: 104-76-7 EC-No.: 203-234-3 REACH-no: 01-2119487289-20	$\geq 5 - \leq 10$	Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Tricarbonyl(methylcyclopentadienyl)manganese	CAS-No.: 12108-13-3 EC-No.: 235-166-5 REACH-no: 01-2119495971-23	$\geq 1 - \leq 3$	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Irrit. 2, H315 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Solvent naphtha (petroleum), heavy arom.; Kerosine— unspecified	CAS-No.: 64742-94-5 EC-No.: 265-198-5 EC Index-No.: 649-424-00-3 REACH-no: 01-2119510128-50	$\geq 1 - \leq 3$	STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Naphthalene	CAS-No.: 91-20-3 EC-No.: 202-049-5 EC Index-No.: 601-052-00-2	< 0,25	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Carc. 2, H351 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

General	: In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible). If unconscious, place in the recovery position and seek medical advice. Never give an unconscious person water or anything like that.
After inhalation	: Take victim to fresh air, in a quiet place and if necessary take medical advice.
After skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Do not use solvents or thinners.
After eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
After ingestion	: Immediately call a POISON CENTER/doctor. Vomiting: prevent asphyxia/aspiration pneumonia. Do NOT induce vomiting. Symptoms of poisoning may develop several hours following exposure. Victim should be under medical observation for at least 48 hours after exposure.

### 4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: Aspiration of the product into the lungs may cause very serious pneumonia. Symptoms of chemical pneumonia may appear after several hours.
After skin contact	: Not expected to present a significant skin hazard under anticipated conditions of normal use.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes. After adequate first aid, no further treatment is required unless symptoms reappear.
After ingestion	: May result in aspiration into the lungs, causing chemical pneumonia.

### 4.3. Indication of any immediate medical attention and special treatment needed

Ingestion of large quantities: immediately to hospital. Keep under medical supervision for at least 48 hours.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray, powder, foam and CO2.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: In case of fire and/or explosion do not breathe fumes.
Explosion hazard	: Heating may cause a fire or explosion.
Reactivity in case of fire	: Fire will develop dense smoke.
Hazardous decomposition products in case of fire	: Carbon dioxide (CO2). Carbon monoxide (CO).

### 5.3. Advice for firefighters

Precautionary measures fire	: Exercise caution when fighting any chemical fire.
Firefighting instructions	: Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Other information	: On combustion, forms: carbon oxides (CO and CO <sub>2</sub> ). On burning: release of (highly) toxic gases/vapours. Do not enter fire area without proper protective equipment, including respiratory protection.
-------------------	---

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: If spilled, may cause the floor to be slippery.
------------------	---

##### 6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Safety glasses.
Emergency procedures	: Avoid contact with skin and eyes.

##### 6.1.2. For emergency responders

Protective equipment	: Wear suitable protective clothing and gloves. Safety glasses.
----------------------	---

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Detergent. Clean up any spills as soon as possible, using an absorbent material to collect it.
Other information	: Spill area may be slippery. Use suitable disposal containers.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed	: Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Precautions for safe handling	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Handling temperature	: < 40 °C
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Store in a closed container.
Storage conditions	: Keep container closed when not in use.
Storage temperature	: ≤ 40 °C
Storage area	: Store in dry, well-ventilated area.

#### 7.3. Specific end use(s)

No additional information available

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. National occupational exposure and biological limit values

Naphthalene (91-20-3)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	Naphthalene
IOELV TWA (mg/m³)	30 mg/m³
IOELV TWA (ppm)	10 ppm
Notes	(Year of adoption 2010)
Ireland - Occupational Exposure Limits	
Local name	Naphthalene
OEL (8 hours ref) (mg/m³)	50 mg/m³
OEL (8 hours ref) (ppm)	10 ppm
Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom - Occupational Exposure Limits	
WEL TWA (mg/m³)	50 mg/m³
2-Ethylhexanol (104-76-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	2-ethylhexan-1-ol
IOELV TWA (mg/m³)	5,4 mg/m³
Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
Ireland - Occupational Exposure Limits	
Local name	2-Ethylhexan-1-ol
OEL (8 hours ref) (mg/m³)	5,4 mg/m³
OEL (8 hours ref) (ppm)	1 ppm
Regulatory reference	Chemical Agents Code of Practice 2021
United Kingdom - Occupational Exposure Limits	
Local name	2-ethylhexan-1-ol
WEL TWA (mg/m³)	5,4 mg/m³
WEL TWA (ppm)	1 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m3 oilspray (TWA, 8 hour workday) is recommended.

##### 8.1.5. Control banding

No additional information available

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

**Technical measures:**

No additional information available.

#### 8.2.2. Personal protection equipment

**Personal protective equipment:**

Gloves. Safety glasses.

**Personal protective equipment symbol(s):**



##### 8.2.2.1. Eye and face protection

**Eye protection:**

Safety goggles

##### 8.2.2.2. Skin protection

**Skin and body protection:**

No special clothing/skin protection equipment is recommended under normal conditions of use

**Hand protection:**

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0,4		EN ISO 374

##### 8.2.2.3. Respiratory protection

**Respiratory protection:**

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

##### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Colour	: Amber.
Appearance	: Oily liquid.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: > 160 °C
Flammability	: Not available
Explosive limits	: 0,6 – 7 vol %
Lower explosion limit	: 0,6 (≤ 0,7)
Upper explosion limit	: 0,6 (≤ 0,7)
Flash point	: > 62 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

pH	: Not available
Viscosity, kinematic	: < 20,5 mm²/s
Solubility	: Insoluble in water.
Log Kow	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 799,4 kg/m³
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts violently with oxidizing substances.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agent. Strong reducing agents.

### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Harmful if inhaled.

MPM Octane Booster	
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MPM Octane Booster	
ATE CLP (dust,mist)	1,5 mg/l/4h
Naphthalene (91-20-3)	
LD50 oral rat	490 mg/kg
LD50 dermal rat	5000 mg/kg
LC50 Inhalation - Rat	> 100 mg/l/4h
ATE CLP (oral)	490 mg/kg bodyweight
ATE CLP (dermal)	5000 mg/kg bodyweight
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics (246538-78-3)	
LD50 oral rat	> 5000 mg/kg bodyweight OECD Guideline 401
LD50 oral	> 5000 mg/kg bodyweight
LD50 dermal rabbit	2200 – 2500 mg/kg bodyweight
ATE CLP (dermal)	2200 mg/kg bodyweight
2-Ethylhexanol (104-76-7)	
LD50 oral rat	2049 mg/kg
LD50 dermal rabbit	1970 mg/kg
LC50 Inhalation - Rat	2,5 mg/l/4h
ATE CLP (oral)	2049 mg/kg bodyweight
ATE CLP (dermal)	1970 mg/kg bodyweight
ATE CLP (vapours)	2,5 mg/l/4h
ATE CLP (dust,mist)	2,5 mg/l/4h
Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)	
LD50 oral rat	58 mg/kg
LD50 dermal rabbit	196,7 mg/kg
LC50 Inhalation - Rat	0,247 mg/l/4h
ATE CLP (oral)	58 mg/kg bodyweight
ATE CLP (dermal)	196,7 mg/kg bodyweight
ATE CLP (vapours)	0,247 mg/l/4h
ATE CLP (dust,mist)	0,247 mg/l/4h
Solvent naphtha (petroleum), heavy arom.; Kerosine— unspecified (64742-94-5)	
LC50 Inhalation - Rat	> 590 mg/l/4h
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.) (Based on available data, the classification criteria are not met.)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
2-Ethylhexanol (104-76-7)	
NOAEL (chronic, oral, animal/male, 2 years)	750 mg/kg bodyweight
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified



# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<b>2-Ethylhexanol (104-76-7)</b>	
STOT-single exposure	May cause respiratory irritation.
<b>Solvent naphtha (petroleum), heavy arom.; Kerosine— unspecified (64742-94-5)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
<b>Hydrocarbons, C11-C13, isoalkanes, &lt;2% aromatics (246538-78-3)</b>	
NOAEL (oral, rat, 90 days)	> 1000 mg/kg bodyweight OECD Guideline 408 (@90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, vapour, 90 days)	> 10,4 mg/l air OECD Guideline 413 @ 90-Days
<b>2-Ethylhexanol (104-76-7)</b>	
NOAEC (inhalation, rat, gas, 90 days)	120 ppm OECD Guideline 413
<b>Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)</b>	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: May be fatal if swallowed and enters airways.
<b>MPM Octane Booster</b>	
Viscosity, kinematic	< 20,5 mm²/s

### 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

#### 11.2.2. Other information

## SECTION 12: Ecological information

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

<b>Naphthalene (91-20-3)</b>	
LC50 fish 1	0,5 mg/l
<b>2-Ethylhexanol (104-76-7)</b>	
LC50 fish 1	17,1 mg/l @96h Leuciscus idus
LC50 fish 2	17,1 mg/l leuciscus idus melanotus
EC50 Daphnia 1	39 mg/l @48h Dapnia magna
EC50 other aquatic organisms 1	11,5 mg/l @72h Algae Scenedesmus subspicatus
EC50 72h - Algae [1]	28,2 mg/l pimephales promelas
EC50 72h - Algae [2]	16,6 mg/l Desmodesmus subspicatus
<b>Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)</b>	
LC50 fish 1	0,21 mg/l Vis, Cyprinus carpio OESO 203

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)

EC50 Daphnia 1	0,83 mg/l @48h Watervlo, Daphnia magna
EC50 72h - Algae [1]	1,7 mg/l @48u OESO 201
EC50 72h - Algae [2]	0,41 mg/l @48u OESO 201

### Solvent naphtha (petroleum), heavy arom.; Kerosine— unspecified (64742-94-5)

EC50 Daphnia 1	3 – 5 mg/l
----------------	------------

## 12.2. Persistence and degradability

### MPM Octane Booster

Persistence and degradability	Not soluble in water, so only minimally biodegradable.
-------------------------------	--

### 2-Ethylhexanol (104-76-7)

Persistence and degradability	Readily biodegradable.
Biodegradation	> 95 % @5d

### Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)

Persistence and degradability	Not degradable in water.
Biodegradation	4 % @ 56d

## 12.3. Bioaccumulative potential

### 2-Ethylhexanol (104-76-7)

Bioconcentration factor (BCF REACH)	25,33
Log Kow	2,9

### Tricarbonyl(methylcyclopentadienyl)manganese (12108-13-3)

Log Pow	3,7
---------	-----

## 12.4. Mobility in soil

### MPM Octane Booster

Soil	Prevent soil and water pollution.
------	-----------------------------------

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : The product does not contain any substances with endocrine disrupting properties.

## 12.7. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Disposal must be done according to official regulations.  
Additional information : This material and its container must be disposed of in a safe way, and as per local legislation.  
Waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

European List of Waste (LoW, EC 2000/532)	: 13 07 03* - other fuels (including mixtures)
HP Code	: HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration. HP6 - "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

### SECTION 14: Transport information

In accordance with ADR / IMDG

#### 14.1. UN number or ID number

UN-No.	: Not regulated
UN-No. (IMDG)	: Not regulated

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not regulated
Proper Shipping Name (IMDG)	: Not regulated

#### 14.3. Transport hazard class(es)

<b>ADR</b>	
Transport hazard class(es) (ADR)	: Not regulated

<b>IMDG</b>	
Transport hazard class(es) (IMDG)	: Not regulated

#### 14.4. Packing group

Packing group (ADR)	: Not regulated
Packing group (IMDG)	: Not regulated

#### 14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

#### 14.6. Special precautions for user

##### Overland transport

Not regulated

##### Transport by sea

Not regulated

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)  
Contains no substance(s) listed on the REACH Candidate List  
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)  
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)  
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

## SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes	Modified	
	Type of product	Modified	
	Flammability (solid, gas)	Removed	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added	
2.2	Precautionary statements (CLP)	Modified	
2.2	EUH-statements	Added	
2.2	Hazard pictograms (CLP)	Added	
2.2	CLP Signal word	Added	
2.3	vPvB comment	Removed	
2.3	PBT Comment	Removed	
4.1	After inhalation	Modified	
4.1	After eye contact	Modified	
4.1	After ingestion	Modified	
4.1	After skin contact	Modified	
4.1	General	Modified	
4.2	Symptoms/effects	Removed	
4.2	After skin contact	Modified	
4.2	After inhalation	Modified	
4.2	After ingestion	Modified	
4.2	After eye contact	Modified	
4.3	Treatment	Modified	
5.2	Hazardous decomposition products in case of fire	Added	
5.2	Reactivity in case of fire	Added	
5.2	Explosion hazard	Added	
5.2	Fire hazard	Added	
5.3	Other information	Added	
6.1	Protective equipment	Modified	
6.1	Protective equipment	Modified	
6.1	Emergency procedures	Modified	

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
6.1	General measures	Modified	
6.2	Environmental precautions	Modified	
6.3	Methods for cleaning up	Added	
6.3	Other information	Modified	
6.4	Reference to other sections (8, 13)	Modified	
7.1	Precautions for safe handling	Modified	
7.1	Additional hazards when processed	Modified	
7.1	Hygiene measures	Modified	
7.1	Handling temperature	Added	
7.2	Technical measures	Modified	
7.2	Storage conditions	Modified	
7.2	Storage temperature	Added	
7.2	Storage area	Modified	
7.2	Heat and ignition sources	Removed	
7.2	Special rules on packaging	Removed	
8.1	Additional information	Modified	
8.2	Technical measures	Added	
8.2	Eye protection	Modified	
8.2	Personal protective equipment	Modified	
8.2	Environmental exposure controls	Removed	
8.2	Materials for protective clothing	Removed	
9.1	Auto-ignition temperature	Removed	
9.1	Density	Modified	
9.1	Boiling point	Modified	
9.1	Viscosity, kinematic	Modified	
9.1	Odour threshold [ppm]	Removed	
11.1	ATE CLP (oral)	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Removed	
11.1	Reason for no classification	Removed	
11.1	Reason for no classification	Removed	
11.1	Additional information	Removed	
11.1	Reason for no classification	Removed	
11.1	Reason for no classification	Removed	
12.1	Ecology - water	Removed	
12.2	Persistence and degradability	Modified	
12.3	Bioaccumulative potential	Removed	
12.4	Soil	Added	

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Indication of changes			
Section	Changed item	Change	Comments
15.2	Chemical safety assessment	Modified	

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
ED	Endocrine disrupting properties
EC-No.	European Community number
vPvB	Very Persistent and Very Bioaccumulative
SDS	Safety Data Sheet
TRGS	Technical Rules for Hazardous Substances
TLM	Median Tolerance Limit
ThOD	Theoretical oxygen demand (ThOD)
STP	Sewage treatment plant
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
PBT	Persistent Bioaccumulative Toxic
OEL	Occupational Exposure Limit
OECD	Organisation for Economic Co-operation and Development
NOEC	No-Observed Effect Concentration
NOAEC	No-Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LD50	Median lethal dose
N.O.S.	Not Otherwise Specified
NOAEL	No-Observed Adverse Effect Level
LC50	Median lethal concentration
IOELV	Indicative Occupational Exposure Limit Value
IATA	International Air Transport Association
IARC	International Agency for Research on Cancer

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### Abbreviations and acronyms

IMDG	International Maritime Dangerous Goods
EN	European Standard

Data sources	: Supplier's safety documents. ECHA (European Chemicals Agency).
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
Other information	: None.

### Full text of H- and EUH-statements

Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Sol. 2	Flammable solids, Category 2
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# MPM Octane Booster

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements	
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

### SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.