



MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 2-5-2019 Revision date: 26-10-2020 Supersedes: 2-5-2019 version: 5.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : MPM Gear Oil 75W-140 Premium Synthetic Truck
Product code : 18000TR

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Automotive care products
Function or use category : Lubricants and additives

1.2.2. Uses advised against

No additional information available.

1.3. Details of the supplier of the safety data sheet

Manufacturer

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030
pvhoorn@mpmoil.com - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP] Show CLP information + DPD classification in section 2.1

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH208 - Contains: Polysulfides, di-tert-Bu, Amines, C12-14-tert-alkyl. May produce an allergic reaction.
EUH210 - Safety data sheet available on request.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515-43	$\geq 2,5 - \leq 5$	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Distillates (petroleum), hydrotreated light paraffinic, Baseoil	CAS-No.: 64742-55-8 EC-No.: 265-158-7 EC Index-No.: 649-468-00-3 REACH-no: 01-2119487077-29	$\geq 1 - \leq 5$	Asp. Tox. 1, H304
Amines, C12-14-tert-alkyl	EC-No.: 931-384-6 REACH-no: 01-2119493620-38	$\geq 1 - \leq 2,5$	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Solvent refined mineral oil	CAS-No.: 64742-01-4 EC-No.: 265-101-6	$\geq 1 - \leq 2,5$	Not classified

Specific concentration limits

Name	Product identifier	Specific concentration limits
Amines, C12-14-tert-alkyl	EC-No.: 931-384-6 REACH-no: 01-2119493620-38	($0 \leq C < 100$) Eye Irrit. 2, H319 ($9,39 \leq C < 100$) Skin Sens. 1, H317 ($50 \leq C < 100$) Eye Dam. 1, H318

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation	: No special protection required.
After skin contact	: Gently wash with plenty of soap and water.
After eye contact	: In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Rinse mouth out with water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam and CO₂.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available.

5.3. Advice for firefighters

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.
Other information : Exercise caution when fighting any chemical fire. Use a water spray to cool exposed surfaces and to protect fire-fighters.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing and gloves.

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Clean with the help of detergents. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
Other information : If spilled, may cause the floor to be slippery.

6.4. Reference to other sections

No additional information available.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid all unnecessary exposure. Both local exhaust and general room ventilation are usually required.
Handling temperature : < 40 °C
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : < 40 °C
Storage area : Keep in a cool, well-ventilated place. Store in a closed container.

7.3. Specific end use(s)

No additional information available.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available.

8.1.2. Recommended monitoring procedures

No additional information available.

8.1.3. Air contaminants formed

No additional information available.

8.1.4. DNEL and PNEC

Additional information : Based on ACGIH TLV, a concentration of 5 mg/m³ oilspray (TWA, 8 hour workday) is recommended.

8.1.5. Control banding

No additional information available.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available.

8.2.2. Personal protection equipment

Personal protective equipment:

Gloves. Protective goggles.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety goggles

8.2.2.2. Skin protection

Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

Hand protection:

Wear suitable gloves resistant to chemical penetration

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	5 (> 240 minutes)	>0.35mm		EN 374-3

Other skin protection

Materials for protective clothing:

Wear suitable protective clothing, gloves and eye/face protection

8.2.2.3. Respiratory protection

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

8.2.2.4. Thermal hazards

No additional information available.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

No additional information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Oily.
Colour	: Amber.
Odour	: Characteristic.
Odour threshold	: No data available.
pH	: No data available.
Relative evaporation rate (butylacetate=1)	: No data available.
Melting point	: No data available.
Freezing point	: No data available.
Boiling point	: No data available.
Flash point	: > 110 °C ASTM D 92
Auto-ignition temperature	: No data available.
Decomposition temperature	: No data available.
Flammability (solid, gas)	: No data available.
Vapour pressure	: No data available.
Relative vapour density at 20°C	: No data available.
Relative density	: No data available.
Density	: 873 kg/m ³ @ 15°C
Solubility	: Slightly soluble, the product remains on the water surface.
Log Pow	: No data available.
Viscosity, kinematic	: 188 mm ² /s (40°C)
Viscosity, dynamic	: No data available.
Explosive properties	: No data available.
Oxidising properties	: No data available.
Explosive limits	: No data available.

9.2. Other information

VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

No additional information available.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

No additional information available.

10.5. Incompatible materials

Acids and bases. Oxidizing agent.

10.6. Hazardous decomposition products

No additional information available.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h OECD 403
LC50 Inhalation - Rat (Dust/Mist)	5,53 mg/l/4h
ATE CLP (dust,mist)	5,53 mg/l/4h

Amines, C12-14-tert-alkyl	
ATE CLP (oral)	500 mg/kg bodyweight
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified

Amines, C12-14-tert-alkyl	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight/day @28d
Aspiration hazard	: Not classified

MPM Gear Oil 75W-140 Premium Synthetic Truck	
Viscosity, kinematic	188 mm ² /s (40°C)
Other information	: This product is formulated with highly refined mineral oils which are considered under IARC as not carcinogenic. It was the IP 346 test showed that all oils in this product contains less than 3% extractable substances.

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Polysulfides, di-tert-Bu (68937-96-2)	
LC50 fish 1	> 0,088 mg/l Danio rerio
EC50 Daphnia 1	63 mg/l @2d
EC50 other aquatic organisms 1	> 100 mg/l @3d
EC50 72h - Algae [1]	≈ 63 mg/l @2d Waterflea
EC50 72h - Algae [2]	> 100 mg/l @3d
EC50 96h - Algae [1]	> 10000 mg/l @0.1d sediment

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)	
EC50 Daphnia 1	> 10000 mg/l OECD 202
EC50 other aquatic organisms 1	> 100 mg/l OECD 201
ErC50 (algae)	> 100 mg/l 48h

Amines, C12-14-tert-alkyl	
LC50 fish 1	24 mg/l @4d Oncorhynchus mykiss
LC50 fish 2	8,5 mg/l @4d Pimephales promelas
EC50 Daphnia 1	91,4 mg/l @2d
EC50 72h - Algae [1]	6,4 mg/l Selenastrum capricornutum
NOEC chronic fish	3,2 mg/l Oncorhynchus mykiss @4d
NOEC chronic crustacea	0,12 mg/l @21 d waterflea
NOEC chronic algae	1,7 mg/l @4d selenastrum capricornutum

12.2. Persistence and degradability

MPM Gear Oil 75W-140 Premium Synthetic Truck	
Persistence and degradability	Not soluble in water, so only minimally biodegradable.

Polysulfides, di-tert-Bu (68937-96-2)	
Biodegradation	13 % @28 d OECD TG

Amines, C12-14-tert-alkyl	
BOD (% of ThOD)	3,6 % ThOD @28d inherent sediment
Biodegradation	7,4 % Sturm (28d)

12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu (68937-96-2)	
Log Pow	-
Log Kow	6

Distillates (petroleum), hydrotreated light paraffinic, Baseoil (64742-55-8)	
Bioaccumulative potential	No data available.

12.4. Mobility in soil

No additional information available.

12.5. Results of PBT and vPvB assessment

No additional information available.

12.6. Other adverse effects

Other adverse effects : Danger of drinking-water pollution (ground water).
Additional information : Do not empty into drains or the aquatic environment. Do not allow material to contaminate ground water system

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Product/Packaging disposal recommendations : Do not dispose of with domestic waste.
Waste disposal recommendations : Remove to an authorized waste treatment plant.
European List of Waste (LoW) code : 13 02 06* - synthetic engine, gear and lubricating oils

SECTION 14: Transport information

In accordance with ADR / IMDG

14.1. UN number

UN-No. : Not applicable
UN-No. (IMDG) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No
Marine pollutant : No
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

No data available.

Transport by sea

No data available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)
Contains no substance(s) listed on the REACH Candidate List
Contains no substance(s) listed on REACH Annex XIV (Authorisation List)
Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)
Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)
VOC content : 0 %

15.1.2. National regulations

No additional information available.

MPM Gear Oil 75W-140 Premium Synthetic Truck

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.2. Chemical safety assessment

No additional information available.

SECTION 16: Other information

Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
EUH208	Contains: Polysulfides, di-tert-Bu, Amines, C12-14-tert-alkyl. May produce an allergic reaction.
EUH210	Safety data sheet available on request.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.