



Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 4-3-2020 Revision date: 8-4-2022 Supersedes: 5-5-2021 version: 3.6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Brake Fluid DOT 3
UFI : QUFE-UR7K-0R1U-EHKY
Product code : 19000
Type of product : Brake fluids
Product group : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Industrial use, Consumer use
Industrial/Professional use spec : Non-dispersive use
Used in closed systems
Use of the substance/mixture : Brake fluids

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

MPM International Oil Company
Cyclotronweg 1
2629 HN Delft - Nederland
T +31 (0)15 2514030
support@mpmoil.nl - www.mpmoil.com

1.4. Emergency telephone number

Emergency number : +31 (0)15 2514030 (08.00 - 17.00 GMT+1)

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 2 H319
Reproductive toxicity, Category 2 H361d
Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS08

CLP Signal word : Warning
Hazardous ingredients : Methyl Triglycol Borate
Hazard statements (CLP) : H319 - Causes serious eye irritation.
H361d - Suspected of damaging the unborn child.

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.
P102 - Keep out of reach of children.
P264 - Wash hands, forearms and face thoroughly after handling.
P301+P310 - IF SWALLOWED: Immediately call a doctor, a POISON CENTER.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P501 - Dispose of Contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-[2-(2-butoxyethoxy)ethoxy] ethanol	(CAS-No.) 143-22-6 (EC-No.) 205-592-6 (EC Index-No.) 603-183-00-0 (REACH-no) 01-2119475107-38	≥ 20 – ≤ 29,9	Eye Dam. 1, H318
Diethylene glycol	(CAS-No.) 111-46-6 (EC-No.) 203-872-2 (EC Index-No.) 603-140-00-6 (REACH-no) 01-2119457857-21	≥ 15 – ≤ 24	Acute Tox. 4 (Oral), H302
Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	(CAS-No.) 30989-05-0 (EC-No.) 250-418-4 (EC Index-No.) 250-418-4 (REACH-no) 2119462824-33	≥ 5 – ≤ 20	Repr. 2, H361d
Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy	(CAS-No.) 9004-77-7 (EC-No.) 500-012-0 (EC Index-No.) 500-012-0 (REACH-no) 2119475115-41	≥ 5 – ≤ 10	Eye Irrit. 2, H319
2-(2-Butoxyethoxy)ethanol	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	≥ 0 – ≤ 2,99	Eye Irrit. 2, H319
2-(2-Methoxyethoxy)ethanol	(CAS-No.) 111-77-3 (EC-No.) 203-906-6 (EC Index-No.) 603-107-00-6 (REACH-no) 01-2119475100-52	≥ 0 – ≤ 2,99	Repr. 2, H361d

Specific concentration limits:

Name	Product identifier	Specific concentration limits
2-[2-(2-butoxyethoxy)ethoxy] ethanol	(CAS-No.) 143-22-6 (EC-No.) 205-592-6 (EC Index-No.) 603-183-00-0 (REACH-no) 01-2119475107-38	(20 ≤ C < 30) Eye Irrit. 2, H319 (30 ≤ C < 100) Eye Dam. 1, H318
Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy	(CAS-No.) 9004-77-7 (EC-No.) 500-012-0 (EC Index-No.) 500-012-0 (REACH-no) 2119475115-41	(20 ≤ C < 100) Eye Irrit. 2, H319

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General : Remove to fresh air and keep at rest in a position comfortable for breathing. If medical advice is needed, have product container or label at hand.

After inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

After skin contact : Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention.

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

After eye contact	: If eye irritation persists: Get medical advice/attention. In case of eye contact, immediately rinse with clean water for 10-15 minutes.
After ingestion	: Do NOT induce vomiting. Rinse mouth. Call a physician immediately. If the person is fully conscious, make him/her drink plenty of water. Never give an unconscious person anything to drink.

4.2. Most important symptoms and effects, both acute and delayed

After inhalation	: May cause respiratory irritation.
After skin contact	: Repeated exposure may cause skin dryness or cracking.
After eye contact	: May cause severe irritation.
After ingestion	: Abdominal pain, nausea. Vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray, powder, foam and CO₂.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide.

5.3. Advice for firefighters

Precautionary measures fire	: Do not enter fire area without proper protective equipment, including respiratory protection.
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Mark out the contaminated area with signs and prevent access to unauthorized personnel.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing and gloves.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not get in eyes, on skin, or on clothing. Keep container closed when not in use.

Hygiene measures : Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed.

Incompatible products : Oxidizing agent.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethylene glycol (111-46-6)		
EU	IOELV TWA (mg/m ³)	101 mg/m ³
Germany	Notes	
Ireland	Local name	Diethylene glycol [2,2'-Oxydiethanol]
Ireland	OEL (8 hours ref) (mg/m ³)	100 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	23 ppm

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Diethylene glycol (111-46-6)		
Ireland	Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom	Local name	2,2'-Oxydiethanol
United Kingdom	WEL TWA (mg/m ³)	101 mg/m ³
United Kingdom	WEL TWA (ppm)	23 ppm
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

2-(2-Butoxyethoxy)ethanol (112-34-5)		
EU	Local name	2-(2-Butoxyethoxy)ethanol
EU	IOELV TWA (mg/m ³)	67,5 mg/m ³
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m ³)	101,2 mg/m ³
EU	IOELV STEL (ppm)	15 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Germany	Notes	
Ireland	Local name	2-(2-Butoxyethoxy)ethanol
Ireland	OEL (8 hours ref) (mg/m ³)	67,5 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	10 ppm
Ireland	OEL (15 min ref) (mg/m ³)	101,2 mg/m ³
Ireland	OEL (15 min ref) (ppm)	15 ppm
Ireland	Notes (IE)	IOELV (Indicative Occupational Exposure Limit Values)
Ireland	Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom	Local name	2-(2-Butoxyethoxy)ethanol
United Kingdom	WEL TWA (mg/m ³)	67,5 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm
United Kingdom	WEL STEL (mg/m ³)	101,2 mg/m ³
United Kingdom	WEL STEL (OEL STEL) [ppm]	15 ppm
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

2-(2-Methoxyethoxy)ethanol (111-77-3)		
EU	Local name	2-(2-Methoxyethoxy)ethanol
EU	IOELV TWA (mg/m ³)	50,1 mg/m ³
EU	IOELV TWA (ppm)	10 ppm
EU	Notes	Skin
EU	Regulatory reference	COMMISSION DIRECTIVE 2006/15/EC
Germany	Notes	
Ireland	Local name	2-(2-Methoxyethoxy)ethanol
Ireland	OEL (8 hours ref) (mg/m ³)	50,1 mg/m ³
Ireland	OEL (8 hours ref) (ppm)	10 ppm
Ireland	Notes (IE)	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)
Ireland	Regulatory reference	Chemical Agents Code of Practice 2020
United Kingdom	Local name	2-(2-Methoxyethoxy) ethanol
United Kingdom	WEL TWA (mg/m ³)	50,1 mg/m ³
United Kingdom	WEL TWA (ppm)	10 ppm

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-Methoxyethoxy)ethanol (111-77-3)

United Kingdom	Remark (WEL)	Sk (Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity)
United Kingdom	Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.2. Exposure controls

Technical measures:

Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment:

Safety glasses. Gloves.

Hand protection:

Wear suitable gloves resistant to chemical penetration

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Butyl rubber, Natural rubber	6 (> 480 minutes)	0.3		EN ISO 374, EN 388

Eye protection:

Chemical goggles or safety glasses

Type	Field of application	Characteristics	Standard
Safety glasses, Face shield		With side shields	EN 166

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

Device	Filter type	Condition	Standard
Reusable half mask	Type A - High-boiling (>65 °C) organic compounds	In the event of insufficient ventilation:	

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Colour	: Amber.
Odour	: slight.
Odour threshold	: No data available
pH	: 7 – 10,5 SAE J 1703
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: < -50 °C SAE J 1703
Freezing point	: No data available
Boiling point	: > 210 °C SAE J 1703
Flash point	: > 100 °C IP 35
Auto-ignition temperature	: No data available

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Decomposition temperature	: > 300 °C
Flammability (solid, gas)	: > 280 °C
Vapour pressure	: 1 mbar
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1039 (1010 – 1060) kg/m ³ DIN 51757
Solubility	: Water: 100 % Ethanol: 100 %
Log Pow	: ≤ 2
Viscosity, kinematic	: 5 – 10 mm ² /s @20C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions.

10.2. Chemical stability

The substance is hygroscopic and absorbs water as it comes into contact with moisture in the air.

10.3. Possibility of hazardous reactions

Peroxides may be formed on prolonged contact with air.

10.4. Conditions to avoid

Do not allow contact with water. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agent. Strong bases. Strong acids. water.

10.6. Hazardous decomposition products

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide and dioxide, smoke, nitrogen oxides (NO_x), NH₃, sulphur compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Due to the low vapor pressure, inhalation is unlikely to be a hazard at room temperature.
Additional information	: If a significant amount is ingested there is a risk of kidney damage which in extreme cases could lead to kidney failure, coma or death. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness, breathing arrest

Brake Fluid DOT 3

LD50 oral rat	5000 mg/kg Limited experience indicates that the fatal dose in humans may be lower.
LD50 dermal rabbit	3000 mg/kg

2-[2-(2-butoxyethoxy)ethoxy] ethanol (143-22-6)

LD50 oral rat	> 5000 mg/kg bodyweight
LD50 dermal rabbit	3540 mg/kg bodyweight

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)

LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rat	> 2000 mg/kg bodyweight

Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy (9004-77-7)

LD50 oral rat	> 2000 mg/kg bodyweight
LD50 dermal rabbit	3540 mg/kg bodyweight

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-(2-Butoxyethoxy)ethanol (112-34-5)

LD50 dermal rabbit	2764 mg/kg bodyweight OECD 402
--------------------	--------------------------------

2-(2-Methoxyethoxy)ethanol (111-77-3)

LD50 dermal rabbit	9404 mg/kg bodyweight OECD 402
--------------------	--------------------------------

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)
pH: 7 – 10,5 SAE J 1703

Additional information : However, prolonged or repeated exposure can degrease the skin and lead to dermatitis.

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7 – 10,5 SAE J 1703

Additional information : Causes eye irritation

Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Diethylene glycol (111-46-6)

NOAEL (chronic, oral, animal/male, 2 years)	1210 mg/kg bodyweight
---	-----------------------

NOAEL (chronic, oral, animal/female, 2 years)	1160 mg/kg bodyweight
---	-----------------------

Reproductive toxicity : Suspected of damaging the unborn child.

STOT-single exposure : Not classified. (Based on available data, the classification criteria are not met)

Brake Fluid DOT 3

NOAEL (oral, rat)	500 mg/kg bodyweight
-------------------	----------------------

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

2-[2-(2-butoxyethoxy)ethoxy] ethanol (143-22-6)

LOAEL (oral, rat, 90 days)	1200 mg/kg bodyweight OECD 408 (
----------------------------	----------------------------------

NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight OECD 408
----------------------------	-------------------------------

NOAEL (dermal, rat/rabbit, 90 days)	4000 mg/kg bodyweight
-------------------------------------	-----------------------

Diethylene glycol (111-46-6)

LOAEL (oral, rat, 90 days)	40000 mg/kg bodyweight OECD 407
----------------------------	---------------------------------

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)

NOAEL (oral, rat, 90 days)	≥ 1000 mg/kg bodyweight
----------------------------	-------------------------

Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy (9004-77-7)

LOAEL (oral, rat, 90 days)	1200 mg/kg bodyweight
----------------------------	-----------------------

NOAEL (oral, rat, 90 days)	400 mg/kg bodyweight
----------------------------	----------------------

2-(2-Butoxyethoxy)ethanol (112-34-5)

NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight OECD 408
----------------------------	-------------------------------

2-(2-Methoxyethoxy)ethanol (111-77-3)

NOAEL (oral, rat, 90 days)	900 mg/kg bodyweight OECD 407
----------------------------	-------------------------------

NOAEC (inhalation, rat, vapour, 90 days)	> 1,06 mg/l air OECD 413
--	--------------------------

Aspiration hazard : Not classified

Brake Fluid DOT 3

Viscosity, kinematic	5 – 10 mm ² /s @20C
----------------------	--------------------------------

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Other information : Irritant side effects: The product contains substances that can irritate locally through skin/eye contact or when inhaled. Contact with local irritants may result in the contact area more easily absorbing harmful substances, such as allergens.

SECTION 12: Ecological information

12.1. Toxicity

General : The product is not expected to be harmful to the environment.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Brake Fluid DOT 3

LC50 fish 1	> 100 mg/l @96h (Oncorhynchus Mykiss)
-------------	---------------------------------------

2-[2-(2-butoxyethoxy)ethoxy] ethanol (143-22-6)

LC50 fish 1	2400 mg/l Pimephales promelas
LC50 fish 2	2200 – 4600 mg/l Leuciscus idus
EC50 72h - Algae [1]	1589 mg/l Pseudokirchneriella subcapitata
EC50 72h - Algae [2]	3211 mg/l Pseudokirchneriella subcapitata

Diethylene glycol (111-46-6)

LC50 fish 1	75200 mg/l Pimephales promelas
EC50 96h - Algae [1]	6500 – 13000 mg/l Pseudokirchneriella subcapitata
EC50 96h - Algae [2]	9362 mg/l green algae
NOEC (chronic)	≥ 1000 mg/l Americamysis bahia @23d

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate (30989-05-0)

LC50 fish 1	> 222,2 mg/l
LC50 fish 2	> 1010 mg/l
EC50 Daphnia 1	> 211,2 mg/l
EC50 Daphnia 2	> 960 mg/l
EC50 72h - Algae [1]	> 224,4 mg/l
EC50 72h - Algae [2]	> 1020 mg/l

Poly(oxy-1,2-ethanediyl), .alpha.-butyl-.omega.-hydroxy (9004-77-7)

LC50 fish 1	> 1800 mg/l
EC50 Daphnia 1	> 3200 mg/l
EC50 72h - Algae [1]	391 mg/l

2-(2-Butoxyethoxy)ethanol (112-34-5)

LC50 fish 1	1300 mg/l
EC50 Daphnia 1	> 100 mg/l
EC50 96h - Algae [1]	> 100 mg/l

2-(2-Methoxyethoxy)ethanol (111-77-3)

LC50 fish 1	5741 mg/l Pimephales promelas
EC50 Daphnia 1	1192 mg/l Daphnia magna
EC50 96h - Algae [1]	> 1000 mg/l Pseudokirchneriella subcapitata

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.2. Persistence and degradability

Brake Fluid DOT 3

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

Brake Fluid DOT 3

Log Pow	≤ 2
Bioaccumulative potential	No bioaccumulation expected.

12.4. Mobility in soil

Brake Fluid DOT 3

Soil	Soluble in water and will partition to aqueous phase. Volatilisation from water to air not expected.
------	--

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Waste suitable for incineration.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Remove to an authorized waste treatment plant.
European List of Waste (LoW) code	: 16 01 13* - brake fluids

SECTION 14: Transport information

In accordance with ADR / IMDG

ADR	IMDG
14.1. UN number	
Not applicable	Not applicable
14.2. UN proper shipping name	
Not applicable	Not applicable
14.3. Transport hazard class(es)	
Not applicable	Not applicable
14.4. Packing group	
Not applicable	Not applicable
14.5. Environmental hazards	
Not applicable	Not applicable

No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes:

Section	Changed item	Change	Comments
	Supersedes	Modified	
	Revision date	Modified	
	Adverse health effects caused by endocrine disrupting properties	Added	
	PBT Comment	Added	
	Acute toxicity (inhalation) - comment	Added	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Precautionary statements (CLP)	Modified	
2.2	Hazard statements (CLP)	Modified	
8.2	Personal protective equipment	Modified	
9.1	Log Pow	Added	
9.1	Appearance	Added	
9.1	Viscosity, kinematic	Modified	
9.1	pH	Modified	
9.1	Colour	Modified	
9.1	Density	Modified	
11.1	ATE CLP (dermal)	Modified	
11.1	ATE CLP (oral)	Modified	
11.1	Other information	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Additional information	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Reason for no classification	Added	
11.1	Additional information	Modified	
11.1	LD50 oral rat	Modified	
11.1	LD50 dermal rabbit	Modified	
11.1	Reason for no classification	Added	
12.1	LC50 fish 1	Modified	
12.3	Log Pow	Added	
12.3	Bioaccumulative potential	Modified	

Brake Fluid DOT 3

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.4	Soil	Added	
------	------	-------	--

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Repr. 2	Reproductive toxicity, Category 2
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361d	Suspected of damaging the unborn child.

SDS MPM REACH

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.